


PRODUCT CATALOGUE



An ISO 9001 : 2008

Certified Organisation



Hospital Furniture

OT Tables & Lights

Medical Equipments

Blood Bank Equipments

Mortuary Equipments

Laboratory Equipments

STANDARD STEEL

Manufacturers & Exporters :
Hospital, Medical, Laboratory Furniture,
Laboratory Equipments and General Order Suppliers

AUTOPSY TABLE (POSTMORTEM TABLE) SS901

- | Stainless Steel Tubular Frame work.
- | Top in SS sheet, with high boarder.
- | Inbuilt SS sink, connected waste water tube.
- | Provision of hot and cold water shower Tap.
- | 4 SS Body Support accessories.
- | Over all size : 285(L) x 90(W) x 85(H) cm.



DISSECTION TABLE SS902

- | SS Tubular Frame work and SS sheet top with high boarder.
- | Provision for drainage hole, SS bucket.
- | 4 x 125 mm castors, 2 with Brakes.
- | Size : 187(L) x 60(W) x 90(H) cm.

DISSECTION TABLE SS903

- | Strong SS Tubular Frame work.
- | SS sheet top with centre Slope.
- | Drainage hole connected with outlet Pipe.
- | Provision of SS Bucket & SS instrument Drawer.
- | Size : 183L x 60W x 90H cm.



DISSECTION TABLE SMALL SIZE SS904

- | Strong SS Tubular Frame work.
- | SS sheet top with centre Slope.
- | Drainage hole connected with outlet Pipe.
- | Provision of SS Bucket.
- | Size : 36"L x 24"W x 36" H.



DISSECTION TABLE SS905

- | MS tubular frame work with powder coated finishing.
- | SS sheet top with centre Slope.
- | Drainage hole connected with outlet Pipe.
- | Provision of SS Bucket & SS instrument Drawer.
- | Size : 73"L x 24"W x 36" H.

EMBALMING TABLE SS906

- | SS Tubular Frame work, SS sheet top with high boarder.
- | Provision for drainer hole, SS bucket.
- | 4 x 125 mm castors, 2 with Brakes.
- | Size - 187(L) x 60(W) x 90(H) cm.



TRANSFER TABLE SS907

- | SS Tubular Frame work.
- | SS sheet top with high boarder.
- | Provision for SS sheet shelve under top.
- | 4 x 125 mm castors, 2 with Brakes.
- | Size - 187(L) x 60(W) x 90(H) cm.

CADAVER TROLLEY SS908

- | Strong Stainless Steel material construction.
- | Tank made from Thick Stainless Steel, with high boarder.
- | Provision of Removable top Cover.
- | 125 mm castors, 2 with brakes.
- | Size : 210(L) x 60(W) x 85(H) cm.



CADAVER TANK SS909

- | Strong Stainless Steel tubular frame work.
- | Provision of upside operable cover.
- | Tank made from Thick SS, with high boarder.
- | Provision of side handles for bring body tray out.
- | Mounted on 125 mm swivel castors, 2 with brakes.
- | Size : 240(L) x 60(W) x 85(H) cm.



ELECTRIC SCISSOR LIFT TROLLEY SS910

- | Electric remote controlled height adjustment.
- | Strong mild steel tubular frame work.
- | 5 Stainless steel ball bearing Rollers of 2" diameter.
- | 4 No. 5" braked castors.
- | Max. load: 200kg, Provided with Battery Backup.
- | Works at 220 volts, 50Hz.
- | Size : 240L x 75W x 40/170H cm.

MORTUARY RACK TRAY SS911

- | Strong Stainless steel material construction.
- | Equipped with handles, top with high boarder.
- | Tray Size : 1800L x 512W x 26Hmm.
- | Size : 2100 L x 512W x 26Hmm.



PORTABLE SINK TABLE SS912

- | Strong Stainless steel material construction.
- | Provision of water tap, SS Shelf.
- | SS Sink, connected with waste tube.



INSTRUMENT TROLLEY SS913

- | SS Frame work & Two SS shelves.
- | 4 x 100 mm castor, 2 with brakes.
- | Size : 60L x 50W x 85H cm.



MORTUARY CHAMBER SS914

- | **Chamber Structure** : Double Walled unit, duly made from thick stainless steel sheets. Outer made from SS 202 and inner chambers made from stainless steel 304 grade material, which is durable in life.
- | **Insulation** : The Gap between the walls filled with Puff insulation for long term temperature maintain. There is 60 to 90 mm thick PU insulation provided in chambers.
- | **Stretchers** : Removable stretchers are provided with chamber, these stretchers are made from 304 grade ss material.
- | **Doors** : Doors covered with double walled door made from thick stainless steel 304 grade. provision of following things in doors. Magnetic Gasket, Lock provision, Handle Provision.
- | **Controller** : unit is controlled with Digital Temp Indicator cum controlled which is microprocessor based, these Indicators are compliance with current standards.
- | **Indicators** : Provision of MCB, Fuse and Load facility in control panel.
- | **Temperature** : Unit can main Temperature can maintain up to -5° degree to +8° degree.
- | **Alarm** : Power failure alarm is installed in unit with battery back provision.
- | **Compressor** : An energy efficient cooling unit is installed, We use ISI marked high end CFC Free compressors of Tecumseh make, conforming to latest international standards.
- | **Wheels** : Mounted on Heavy Duty Rubber wheels for easy mobility.
- | **Electric Workability** : workable at 220V AC 50 Hz single phase, complete with cord & plug.
- | **Stabilizer** : Supplied with Voltage Stabilizer for durable life of machine.
- | **Inside Lighting** : Provision of LED light provision while opening the door.



MORTUARY STORAGE RACK SS915

- | Strong mild steel tubular frame work.
- | Three shelves. with 4 No 2" diameter ball bearing rollers.
- | 125 mm swivel castors, 2 with brakes.
- | Size : 193 x 82 x 144 cm.
- | Max. Load : 500kg.



**REVOLVING STOOL
SS916**



**STAINLESS STEEL TABLE
SS917**

- a) 120(L) x 75(D) x 75(H) cm.
- b) 180(L) x 75(D) x 75(H) cm.
- c) 240(L) x 75(D) x 75(H) cm.



**STORAGE RACK
SS918**



SS919

EXAMINATION LIGHT (HALOGEN)

Luminance	: 60000 Lux
Dome Diameter	: 20" Fiber
Dept Illumination	: 10 - 15 cm
Color temp.	: 4300 K
Focusing	: Manual
Bulb	: Halogen 24v-150w
Power Supply	: 220V/50Hz AC.



SS920



SS921

EXAMINATION LIGHT LED

luminance	: 125000 Lux
Spot Diameter	: 100 - 150 mm.
Dept illumination	: 10 - 15 cm
Color temp.	: 3200 - 5200 K
Focusing	: Manual
LED Average Life	: >50000 Hrs.
Power Supply	: 220V/50Hz AC.



SS922



ELECTRIC ANIMAL POSTMORTEM TABLE SS923

- | Strong Stainless Steel tubular frame work.
- | SS top with high border. Remote control height adjustment.
- | Size : 220(L) x 85(W) x 60-90(H) cm.



MANUAL ANIMAL POSTMORTEM TABLE SS924

- | MS tubular frame work duly powder coated.
- | SS top with high border. Manual height adjustment.
- | Size : 185(L) x 60(W) x 63-87(H) cm.



FLAMMABLE CABINET SS925

- | Strong Stainless Steel frame work.
- | Four adjustable SS shelves.
- | Size : 75(L) x 45(W) x 170(H) cm.



DEAD BODY SHOWER TANK SS926

- | Strong Stainless Steel frame work.
- | Provision of water tap & outlet.
- | Size : 205(L) x 65(W) x 60(H) cm.



ORGAN BOX SS927

- | Strong Stainless Steel frame work.
- | Lid with key locking facility.
- | Size : 60(L) x 45(W) x 75(H) cm.



EMBALMING MACHINE SS928



INSTRUMENT TRAY SS929



BODY TRANSFER BOARD SS930



**SCRUB STATION
SS931**



**TILT TABLE
SS932**



**AUTOPSY SAW
SS933**



**ORGAN DISSECTION TABLE
SS934**



**POSTMORTEM SET
SS935**



**DISSECTION NECK BLOCK
SS936**



**ORGAN GLASS JAR
SS937**



**FOGGER FUMIGATOR
SS938**



**SKELETON MODEL
SS939**



**BONE SET
SS940**



BLOOD BANK REFRIGERATOR BBE101

- | **Structure** : - Standard double walled construction
- | **Chambers** : - Inner chamber fabricated using stainless steel 304 Grade. And Outer chamber made of thick mild steel duly powder coated and
- | **Insulation** : - Gap filled with PU Puff insulation for temperature insulation
- | **Electric Work ability** : - Equipment works on 220VAC 50Hz single phase
- | Pane made available with pilot lamp, controls etc. that is offered with cord & plug etc
- | **Doors** : - Complete with walled door lock & key arrangement
- | **Drawers** : - Smooth running Stainless Steel Drawers for holding Blood Bags.
- | **Compressor** : - Sealed compressor unit and cooling coils running throughout the chamber for thermal uniformity
- | **Controller** : - Microprocessor based Digital Controller-cum-indicator.
- | **Alarm** : - trigger audio-visual alarms in a/case of temp
- | Door operation alarm is also offered with power failure alarm as a safety device.
- | **Temperature** : - Ranging from 4°C to 6° C maintained through digital temp.

Available Size And Capacity

- | | |
|-------------------------------|-------------------------------|
| 1. 85 litre (50 blood bags) | 4. 280 litre (250 blood bags) |
| 2. 165 litre (110 blood bags) | 5. 400 litre (360 blood bags) |
| 3. 200 litre (200 blood bags) | |



BLOOD DONOR COUCH BBE102

- | An electrically remote controlled unit, with battery backup.
- | Constructed with mild steel material duly powder coated finishing.
- | Facility for blood collection from both sides.
- | Adjustable Backrest, seat section and leg rest on individual Actuators.
- | Surface is covered with 100 mm thick high density PU forms mattress.
- | Mounted on 125 mm castors, 2 with brakes.



BLOOD DONOR CHAIR BBE103

- | Strong Stainless steel tubular framework.
- | Adjustable back rest, leg rest, & arm rest.
- | Facility for blood collection from both sides.
- | 100 mm thick PU forms surface.
- | Size : 165L x 45W x 60H cm.


PORTABLE BLOOD DONOR CHAIR BBE104

- | Strong aluminium tubular frame work.
- | Two sectional top, with adjustable backrest and seat section.
- | Top covered with 35 mm PU foam mattress.
- | Dimension:
 - a. Back rest : 27L x 20W inch.
 - b. Seat : 36L x 20W inch.
 - c. Height : 21" - 28"inch.



BLOOD SAMPLE MIXER BBE105

- | Rolling speed 10-30 RPM
- | Rocking frequency 5 Cycles per minute at 35° angle
- | No. of rollers 4
- | dimensions : 455 x 265 x 120 mm
- | Exterior body MS coated
- | Rolling rods material PVC each of 320 mm
- | Supply : 220/230V, 50 Hz



DIGITAL CENTRIFUGE BBE106

- | Compact model for routine work in medical & industrial laboratories. Easy lid lock.
- | Stepless speed regulator, digital timer & 4000 RPM.
- | Capacity 15 ml x 4, 15 ml x 6, 15 ml x 8, 15 ml x 12 tubes.



DOCTOR CENTRIFUGE MACHINE BBE107

- Capacity 15ml x 4 tubes 3500 R.P.M. angle head.
- Capacity 15ml x 6 tubes 3500 R.P.M. angle head.
- Capacity 15ml x 8 tubes 3500 R.P.M. angle head.



CENTRIFUGE MACHINE BBE108

- Capacity 15ml x 4 tubes 3500 R.P.M.
- Capacity 15ml x 6 tubes 3500 R.P.M.
- Capacity 15ml x 8 tubes 3500 R.P.M.



PLASMA EXTRACTOR MANUAL BBE109

- | Unit Designed to Extract Blood component from centrifuged bags.
- | The spring loaded front panel applies pressure on the collected bag causing the liquid to contain in transfer bag.
- | Its sturdy construction, durable, reliable, easy to use and portable.

Pressure Plate	Acrylic
Clamping Control	Manual
Size (WxDxH)cm	17x25x24cm
Weight	3 kg Approx



PLASMA EXTRACTOR ELECTRIC BBE110

Electronic Plasma Expresser is designed for automatic separation of Blood Components from the Blood Bag. It is semiautomatic equipment to separate blood into red cells and plasma.

Salient features

- | Sensor Type –Infra-Red beam interruption sensor.
- | Clamping Power source, Geared Motor.
- | White Powder coated mild steel cabinet with stand corrosion, wear & tear on continues usage
- | Compression Plate designed to exert uniform pressure on the blood bag.
- | Work at 230V AC 50Hz.
- | Size : (W x D x H) 175 x 225 x 265mm



BLOOD BAG TUBE SEALER BBE111

Tube Sealer is a compact instrument to seal the Blood Bag pilot tube by radio frequency sealing system, no haemolysis at Blood in the tube because Radio Frequency sealing seals the tube without damaging the blood cells inside, and easy separation of tube once the sealing is done, sealing can be achieved in less than 1.5 sec. per tube by simple operation.

Oscillation Frequency	40.68 Mhz
Radio Frequency output	15W
Sealing time	Approx. 1.5 sec.
Input Volt	230V AC
Power Frequency	50 Hz
Power Consumption	100 VA
Weight	5.5 Kg approx



BLOOD COLLECTION MONITOR WITH SHAKER BBE112

- | Volume can be set in 1 ml. increments.
- | Provision of pausing collection and change.
- | Programmed volume during pause
- | Micro-controller based program.
- | Volume can be set from 1 ml - 600 ml.
- | Display of weight and volume. Auto tare facility.
- | Motor activated clamping at the end of the collection.
- | Audio - Visual alarm, Auto Calibration.
- | RED Bright LED Display. Input Voltage 230 Volt.



BLOOD CELL COUNTER 5 KEY BBE113

- | ABS outer shell can resist collision.
- | Counts(BASO, EOSIN, MONO, LYMPH, POLY).



BLOOD CELL COUNTER 8 KEY BBE114

- | ABS outer shell can resist collision.
- | Counts(BASO, EOSIN, MONO, LYMPH, JUVEN, STAB, SEG, MYELO).



**DEEP FREEZER
BBE115**



**BLOOD COLLECTION SCALE
BBE116**



**PLATELET INCUBATOR
BBE117**



Am ISO 9001 : 2008
Certified Organisation



STANDARD STEEL

530, Ram Bagh Road, Ambala Cantt. 133 001
(Haryana) INDIA

Cell : + 91 89505 84100, + 91 94664 63642

Ph. : + 91 171 4002259

skype : saleen_sachin

www.standardsteel.co.in

www.laboratoryequipment.co.in

standardsteel@yahoo.com

standardsteel86@gmail.com